



Material Safety Data Sheet

Page 1 of 5

Issue date: November, 2007

Flexi-Proof GP2 Part B

Not Classified as Hazardous according to criteria of Worksafe Australia

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

River Sands Pty Ltd
ACN 009 919 215
ABN 41 009 919 215
683 Beenleigh Redland Bay Rd
CARBROOK QLD 4129
Tel: +61 7 3287 6444
Fax: +61 7 3287 6445

Emergency Advice All Hours:
Australia Wide: 131 126

Product Name: Flexi-Proof GP2 Part B
Use: Two part cementitious flexible waterproofing membrane

UN Number: None allocated
Proper Shipping Name: None allocated
Dangerous Goods Class: None allocated
Packing Group: None allocated
Hazchem Code: None allocated
Poison Schedule: None allocated

2. COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE NAME	Proportion	CAS Number
Formulation consists of ingredients determined as non-hazardous or component is below potentially hazardous amounts.		

3. HAZARD IDENTIFICATION

Not Classified as Hazardous according to the criteria of Worksafe Australia
Not Classified as dangerous according to the criteria set by Australian Dangerous Goods Class

4. FIRST AID MEASURES

Swallowed: If swallowed, contact Doctor. **DO NOT induce vomiting**, wash out mouth with water and give glass of water to drink.

Eye: Flush with plenty of water for at least 15 minutes, ensuring eyelids are held open and see a Doctor.

Skin: If skin contact occurs, remove contaminated clothing and wash skin thoroughly with soap and water.

Inhaled: Move to fresh air. Monitor for respiratory distress. Seek medical attention if irritation occurs.

First Aid Facilities: Eye wash fountain shall be available.

Advice to Doctor: Treat symptomatically.



Material Safety Data Sheet

Page 2 of 5

Issue date: November, 2007

Flexi-Proof GP2 Part B

Not Classified as Hazardous according to criteria of Worksafe Australia

5. FIRE-FIGHTING MEASURES

This Product is not combustible

Fire Fighting Precautions: Wear Self-Contained Breathing Apparatus (S.C.B.A) and full protective clothing to minimise skin exposure.

Extinguishing Media: Use appropriate fire extinguisher for surrounding environment

Hazchem Code: None Allocated

6. ACCIDENTAL RELEASE MEASURES

Small Spills: Wear protective equipment to prevent skin and eye contamination. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labeled containers or drums for disposal.

Large spills: Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers or drums for disposal. If contamination of sewers or waterways has occurred advise local emergency services and dilute with plenty of water.

7. HANDLING AND STORAGE

Storage Precautions: No special storage requirements

Transport: Not classified as a Dangerous Good, according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (6th Edition)

Handling: Prevent all contact with skin. Ensure a high level of personal hygiene is maintained when using this product. Always wash hands before eating, drinking, smoking or using the toilet

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits No exposure standards have been established for this material by NOHSC.

Engineering Controls Use well-ventilated area. In Local ventilation should be considered if used in poorly ventilated or very confined space.

Personal Protection Equipment

CLOTHING: Wear protective clothing: PVC or rubber apron, coveralls, safety shoes/boots.

GLOVES: PVC or rubber elbow length.

EYES: Safety glasses to protect eyes.



Material Safety Data Sheet

Page 3 of 5

Issue date: November, 2007

Flexi-Proof GP2 Part B

Not Classified as Hazardous according to criteria of Worksafe Australia

RESPIRATORY PROTECTION: Select and use respirators in accordance with AS/NZS 1715/1716. If used in poorly ventilated or very confined spaces, Use a Filtered breathing apparatus.

Hygiene Measures

Do not store or consume food, drink or tobacco in an area where they may become contaminated with this material. Wash hands thoroughly before eating, drinking, and smoking, applying cosmetics or using the toilet.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Milky white liquid
Boiling Point:	100°C
Vapour Pressure:	2.3 kPa approx
Specific Gravity:	1.0 kg/l @25°C
Flash Point:	Not relevant
Solubility in Water:	Will dilute

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of use

Hazardous decomposition: Not Applicable

Hazardous polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Carcinogenic Effects:

Product used according to technical and manufacturing information has had no carcinogenic effects observed but individual hazardous components may cause irritation to skin, eyes, gastrointestinal and respiratory system and suspected of carcinogenicity, although there is limited information on toxicological properties or specific health hazards. It has been noted for its toxicity by way of ingestion, and thought to be mutagenic in effect.

Reproductive toxicity:

No effect on fertility or reproduction was found in published data available at time of revision.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways, drains or sewers.

Environmental Information: Not readily biodegradable, has the potential to bioaccumulate
Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Disposal of this material should be undertaken by a registered chemical disposal company.



Material Safety Data Sheet

Page 4 of 5

Issue date: November, 2007

Flexi-Proof GP2 Part B

Not Classified as Hazardous according to criteria of Worksafe Australia

14. TRANSPORT INFORMATION

UN Number: None allocated
Dangerous Goods Class: None allocated
Packing Group: None allocated
Hazchem Code: None allocated

15. REGULATORY INFORMATION

Not Classified as Hazardous according to the criteria of Worksafe Australia
Not Classified as dangerous according to the criteria set by Australian Dangerous Goods Class

16. OTHER INFORMATION

PRINCIPAL REFERENCES:

Material Safety Data Sheet – River Sands Pty Ltd

Issue date: 14/11/2007

Issued by: Tess Flores – Technical Manager

The customer is advised to consult the product Technical Data Sheets for further information including advice on suitable equipment.

Information used in the compilation of this MSDS obtained from investigations conducted at outside laboratories.

REASONS FOR UPDATE:

1. Product release

Contact Point

Emergency Advice All Hours:

Australia Wide: 131 126

River Sands Pty Ltd

Tel: +61 7 3287 6444

Fax: +61 7 3287 6445

Contact: Paul Moorfoot – General Manager

Disclaimer

This Material Safety Data Sheet should be used in conjunction with the Technical Data Sheet. It does not replace them. The information given is based on our knowledge of the health and safety data of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any purpose other than that for which it was intended. If clarification or further information is needed to enable appropriate risk assessment, the user should contact River Sands Pty Ltd. Our responsibility for products sold is subject to our standard terms and conditions sent to customers. No liability whatsoever can be accepted with regard to the handling, processing or use of the product concerned which, in all cases, shall be in accordance with the appropriate regulations and / or legislation.

END OF DOCUMENT